





STANDARDS SHEET

LIST OF MATERIALS

-1 :- 34107 LUG 2 REQD (AMP. CODE 00779)
1N4004 DIODE

② M23053/8-003-C SLEEVE CUT TO LENGTH

-2 :- 34107 LUG 2 REQD (AMP. CODE 00779)
1N4004 DIODE

② M81824/1-1 SPLICE LESS HEAT SHRINKABLE SLEEVE
 #22 SOLID TINNED UN-INSULATED WIRE (MIL-W-3861
TYPE S)

② M23053/8-003-C SLEEVE CUT TO LENGTH

DRAWN	Meaden	CLASSIFICATION	FMC 71867
CHECKED	WHITCKEONAN		STANDARD
STRESSED			
APPROVED	J.F.S.		
		DIODE ASSY	CSP 252



② M23053/8-003C WAS
 MIL-J-631 N°7 X 57
 M81824/1-1 WAS 31818 SPLICE
 27-9-91

-3 4-4 ASSY ADDED
 SHEET 2 ADDED
 27-9-91

②

EU 50655

STANDARDS SHEET



LIST OF MATERIALS

-4 :- 34109 LUG 2 REQD (AMP. CODE 00779)
1N4004 DIODE

① M23053/8-003-C SLEEVE CUT TO LENGTH





-3 :- 34109 LUG 2 REQD (AMP. CODE 00779)
1N4004 DIODE

① M81824/1-1 SPLICE LESS HEAT SHRINKABLE SLEEVE
#22 SOLID TINNED UN-INSULATED WIRE (MIL-W-3861
TYPE S)

① M23053/8-003-C SLEEVE CUT TO LENGTH

DRAWN	J. RAWLINSON	CLASSIFICATION	STANDARD
CHECKED	<i>[Signature]</i>	DIODE ASSY	CSP 252
STRESSED			
APPROVED	<i>[Signature]</i>		

M23053/8-003-C WAS
 MIL-1-631 NOT SLEEVE
 - M81824/1-1 WAS 31818 SPLICE
 27.9.91



LIST OF MATERIALS

- 5:- # 34108 LUG 2-REQD (AMP CODE 00779)
 # IN 4004 DIODE
 (B) # M23053/B-003C SLEEVE CUT TO LENGTH

- 6:- # 34107 LUG (AMP CODE 00779)
 # IN 4004 DIODE
 (B) # M23053/B-003C SLEEVE CUT TO LENGTH

(B) M 23053/B-003C W/AS
 MIL-I-671 NO 7 SLEEVE
 REX 27.9.91
 (A) -6 ADDED
 28-3-74 Rlw

DRAWN	J.A. PICKUP	CLASSIFICATION	STANDARD
CHECKED	<i>[Signature]</i>	DIODE ASS'Y	CSP 252
STRESSED			
APPROVED	<i>[Signature]</i>		

JAN 30 67

SH 3 of 3