

STANDARDS SHEET

CODE:

CSP261 A 03-25 7

- LAST DIGIT EQUALS LENGTH IN EIGHTS OF INCHES.
- LENGTH IN FULL INCHES (WHEN REQD - SEE BELOW).
- SIZE CODE INDICATES NOM. I/DIA IN DECIMAL INCHES.
- MATERIAL - SEE TABLE.
- BASIC STANDARD PART NUMBER.

EXAMPLE: CSP261 A03-257 = TRANSPARENT PVC SLEEVING -.034 NOM I.D. - 25 7/8 LONG.
 CSP261 A03-50 = " " " " - 5-0 LONG.
 CSP261 A03-3 = " " " " - 3/8 LONG

MATERIAL CODE	MATERIAL	SPECIFICATION	TUBING SIZE
A	POLYVINYL CHLORIDE AND ITS COPOLYMERS - TRANSPARENT	MIL-I-631 TYPE F, FORM U SUBFORM Ua. GRADE a OR b CLASS I CATEGORY I.	SEE PAGE 2
B	TEFLON - COLOUR-NATURAL	MIL-I-22129	SEE PAGE 3

REDRAWN, DAR. 48284 IN CORR.
 'B' MAT AND SH 3 ADDED
 26 MAY 66 R.G.L.

DRAWN	R.G. LAWRENCE	CLASSIFICATION	STANDARD
CHECKED		SLEEVING INSULATING	CSP 261
STRESSED			
APPROVED	B.C. BEATLEY		



STANDARDS SHEET

CODE 'A' MATERIAL, TUBING SIZES.

SIZE CODE	NOM. I. DIA.	COML SIZE	MAX. WALL THK.
01	.022	24	.010
02	.027	22	.010
03	.034	20	.013
04	.042	18	
05	.053	16	
06	.066	14	
08	.085	12	
09	.095	11	
10	.106	10	.013
12	.118	9	.017
13	.133	8	
14	.148	7	
16	.166	6	.017

SIZE CODE	NOM. I. DIA.	COML SIZE	MAX. WALL THK.
18	.186	5	.017
20	.208	4	
23	.234	3	
26	.263	2	
29	.294	1	
33	.330	0	.017
38	.387	3/8	.022
44	.450	7/16	.022
50	.512	1/2	.022
62	.640	5/8	.025
75	.768	3/4	.030
88	.893	7/8	.030
00	1.018	1.0	.030

NOTE:

THIS CSP SUPERSEDES CSP 37 AND CSP 51.

THE TABLES BELOW SHOW THE CSP261 EQUIVALENTS OF THE SUPERSEDED CSP37 AND CSP51 PARTS.

CSP 37	CSP 261
-2	A10-6 ✓
-3	A12-6
-4	A13-6
-4A	A14-6
-5	A16-6
-5A	A18-6
-6A	A23-6
-7	A26-10
-8	A38-10
-8A	A44-12
-9	A50-12

CSP 51	CSP 261
-2	A06-4
-3	A08-4

DRAWN	R.G. LAWRENCE	CLASSIFICATION	STANDARD
CHECKED		SLEEVING INSULATING	CSP261
STRESSED			
APPROVED	B. C. B. A. L. E.		

REDRAWN
26 MAY 66
R.G.L.
A



STANDARDS SHEET

CODE 'B' MATERIAL TUBING SIZES.

SIZE CODE	NOM. I DIA.	COML. SIZE	MAX. WALL THK.
01	.023	24	.012
02	.028	22	.012
03	.039	20	.016
04	.044	18	
05	.056	16	
06	.069	14	
08	.086	12	
09	.096	11	
10	.107	10	.016
12	.119	9	.020
13	.135	8	
14	.151	7	
16	.170	6	.020

SIZE CODE	NOM. I DIA.	COML. SIZE	MAX. WALL THK.
18	.190	5	.020
20	.214	4	
23	.239	3	
26	.268	2	
29	.300	1	
33	.336	0	.020

DRAWN R.G. LAWRENCE
 CHECKED
 STRESSED
 APPROVED R.C. REEDER

CLASSIFICATION

SLEEVING
 INSULATING

STANDARD

CSP 261

26 MAY 66