


THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE "INFORMATION") ARE EITHER THE EXCLUSIVE PROPERTY OF DE HAVILLAND INC., OR ARE SUBJECT TO PROPRIETARY RIGHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF DE HAVILLAND INC.

de HAVILLAND
CAGE CODE 71867
CSP STANDARD

THE HOLDER OF THIS DOCUMENT, BY ITS RETENTION AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS



CSP No.	SHELL SIZE (1)	DIM A	DIM B	DIA D
CSP294-1	10	.954	.719	.120
CSP294-3	12	1.047	.812	.120
CSP294-5	14	1.141	.906	.120
CSP294-7	16	1.234	.969	.120
CSP294-9	18	1.328	1.062	.120
CSP294-11	20	1.453	1.156	.120
CSP294-13	22	1.578	1.250	.120
CSP294-15	24	1.703	1.375	.147

NOTE 1 - SHELL SIZE TO MIL-C-26482

MATERIAL: .040 ALCLAD 2024-T3

SPECIFICATION: QQ-A-250/5

FINISH: ONE SIDE AND EDGES, F19 + F2 GREY, COLOUR 36231 TO FED STD 595
OTHER SIDE F19 + F22 WHITE EPOXY

SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY

DRAWN	A KEDWARDS
CHECKED	
STRESSED	
APPROVED	D. BINNINGTON

**BLANKING PLATE,
ELECTRICAL CONNECTOR**

CSP 294

SHEET: 1 of 1

REV:

REV:

REV:

REV:

REV:

REV: A - 21 DEC 99

REV: 25 APR 1967

A REDRAWN, CORNER RAD .12 WAS .25
MATERIAL SPEC QQ-A-250/5 WAS QQ-A-362

A