

STANDARDS SHEET

[illegible]

- (D) ADDED ALT. COLOUR 10/1/89 -IKENO
 (C) DIM. CHANGES 24/11/88 -K. RAI
 (B) CLASSIFICATION CHGD 18/11/88 -K. RAI
 (A) TITLE SHT. ADDED 18/10/88 -K. RAI


- ☐ ISSUE ADDED EACH SHT; SHT.5 COLOUR CHG.-IKENO
☒ MOD. TITLE & DESCR. SHT. 2 & 6-JIMENEZ
☒ SHT.6 ADDED 02/03/89 -K. RAI

DRAWN	V. ILIESCU	CLASSIFICATION	STANDARD
CHECKED	G. IKENO	PAD AND FAIRLEAD, TUBING SUPPORT	CSP437
STRESSED			
APPROVED			

PLOTTED 6/20/89

CGP137-0

STANDARDS SHEET



- MATERIAL: ETHYLENE PROPYLENE RUBBER, PER MIL-C-85052/2 SHORE 'A' 65-75, COLOUR - PURPLE OR BLACK (C)
- PARTS MOLDED OR MACHINED
- 2 DECIMALS +/- .030 TOLERANCE UNLESS OTHERWISE NOTED
- 3 DECIMALS +/- .010 TOLERANCE UNLESS OTHERWISE NOTED
- ANGULAR TOLERANCE +/- 2°


CSP437-1
FAIRLEAD

VIEW B

DRAWN	V. ILIESCU	CLASSIFICATION	STANDARD
CHECKED	G. IKENO	PAD AND FAIRLEAD, TUBING SUPPORT (E)	CSP437
STRESSED	C. LAU		
APPROVED	KROMKAMP		

(F) ISSUE - F

STANDARDS SHEET



DETAIL A


2 PLS

- MATERIAL: ETHYLENE PROPYLENE RUBBER, PER MIL-C-85052/2 SHORE 'A' 65-75, COLOUR - PURPLE OR BLACK (D)
- PARTS MOLDED OR MACHINED
- 2 DECIMALS TOLERANCE $\pm .030$ UNLESS OTHERWISE NOTED
- 3 DECIMALS TOLERANCE $\pm .010$ UNLESS OTHERWISE NOTED
- ANGULAR TOLERANCE $\pm 2^\circ$

VIEW B

CSP437-2
FAIRLEAD

DRAWN	V. ILIESCU	CLASSIFICATION	STANDARD
CHECKED	G. IKENO	PAD AND FAIRLEAD, TUBING SUPPORT	CSP437
STRESSED	C. LAU		
APPROVED	KROMKAMP		




- MATERIAL: ETHYLENE PROPYLENE RUBBER, PER MIL-C-85052/2
SHORE 'A' 65-75, COLOUR - PURPLE OR BLACK ①
- PARTS MOLDED OR MACHINED
- 2 DECIMALS TOLERANCE $\pm .030$ UNLESS OTHERWISE NOTED
- 3 DECIMALS TOLERANCE $\pm .010$ UNLESS OTHERWISE NOTED

CSP437-3

PAD

DRAWN	V. ILIESCU	CLASSIFICATION	STANDARD
CHECKED	G. IKENO	PAD AND FAIRLEAD, TUBING SUPPORT	CSP437
STRESSED	C. LAU		
APPROVED	KROMKAMP		

E ISSUE- E



- MATERIAL: ETHYLENE PROPYLENE RUBBER, PER MIL-C-85052/2
- SHORE 'A' 65-75, COLOUR - SUITABLY COLOUR CODED TO HIGHLIGHT DIFFERENCE
- PARTS MOLDED OR MACHINED
- 2 DECIMALS TOLERANCE $\pm .030$ UNLESS OTHERWISE NOTED
- 3 DECIMALS TOLERANCE $\pm .010$ UNLESS OTHERWISE NOTED




CSP437-4
PAD

DRAWN	V. ILIESCU	CLASSIFICATION	STANDARD
CHECKED	G. IKENO	PAD AND FAIRLEAD, TUBING SUPPORT	CSP437
STRESSED	C. LAU		
APPROVED	KROMKAMP		
			① ISSUE- D

PLOTTED : 6/19/89

CSP437-4

STANDARDS SHEET



DETAIL A

2 FULL SIZE

- MATERIAL: ETHYLENE PROPYLENE RUBBER, PER MIL-C-85052/2
SHORE 'A' 65-75, COLOUR - PURPLE OR BLACK (B)
- PARTS EXTRUDED
- 2 DECIMALS TOLERANCE $\pm .030$ UNLESS OTHERWISE NOTED
- 3 DECIMALS TOLERANCE $\pm .010$ UNLESS OTHERWISE NOTED

CSP437-5

PAD (A)

DRAWN	E. HANSEN	CLASSIFICATION	STANDARD
CHECKED	B. KARIM	(A) PAD AND FAIRLEAD, TUBING SUPPORT	CSP437
STRESSED	C. LAU		
APPROVED	G. IKENO		
(B) ISSUE - B			