
THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE "INFORMATION") ARE EITHER THE EXCLUSIVE PROPERTY OF DE HAVILLAND INC., OR ARE SUBJECT TO PROPRIETARY RIGHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF DE HAVILLAND INC.

de HAVILLAND

CAGE CODE 71867
CVR STANDARD

THE HOLDER OF THIS DOCUMENT, BY ITS RETENTION AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS



TOLERANCES

.XXX ± .010

 $.XX \pm .03$

ANGLES ± 20

MATERIAL:

LEXAN G.E. 429-829 TRANSLUCENT WHITE POLYCARBONATE EXTRUSION SHALL MEET THE REQUIREMENTS OF FAR 25.853 APPENDIX F PART 1 (a) ii.

FINISH:

SEMI-GLOSS. VISIBLE SURFACE TO BE SMOOTH AND FREE FROM SCRATCHES OR BLEMISHES

SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY

DRAWN	B. EDWARDS
CHECKED	A. RYDER
STRESSED	:
APPROVED	B. EDWARDS

GAP COVER EXTRUSION

CVR 158

SHEET: 1 of 1

APPROVED: 15 FEB 2007 REV: REV: