BOMBARDIER

de Havilland Material Specification

TITLE:	EPOXY RESIN IMPREGNATED GLASS FABRIC 177°C AUTOCLAVE CURE (SERIES 400)
SPECIFICATION NUMBER:	DHMS P1.71 (SMS 34)
ISSUE:	В
AMENDMENT:	-
DATE:	August 3, 2006
PAGE:	1 of 2

Information in this document is proprietary to de Havilland. This document must not be reproduced or distributed in the whole or in part to a third party without prior express permission in writing from de Havilland.

Prepared by:	Approved by:
SIGNED ORIG	GINAL ON FILE
Hai -Yen Tran	Leonard K. John
Materials Technology	Materials Technology

BOMBARDIER

de Havilland

Material Specification

DHMS: P 1.71 ISSUE: B

AMD.: -

DATE: August 3, 2006

PAGE: i of i

EPOXY RESIN IMPREGNATED GLASS FABRIC 177°C AUTOCLAVE CURE (SERIES 400)

REVISION RECORD

Issue	Page	Description and Reason for Change	
A		Shorts updated the SMS 34 to issue 2.	
		Updated to introduce a new clerical format.	
В		SMS 34 updated to issue 5	

BOMBARDIER

de Havilland

Material Specification

DHMS: P 1.71 ISSUE: B

ISSUE: E

DATE: August 3, 2006

PAGE: 2 of 2

EPOXY RESIN IMPREGNATED GLASS FABRIC 177°C AUTOCLAVE CURE (SERIES 400)

DHMS P1.71 type 1 (120 style) is equivalent to SMS 34, 120 style

DHMS P1.71 type 1 (120 style) is equivalent to SMS 34, 120 style DHMS P1.71 type 2 (1581 style) is equivalent to SMS 34, 1581 style

Number SMS 34 issue 5, as equivalent to Material Specification DHMS P1.71 issue B

Re Bombardier Short Brothers PLC/de Havilland division, contract number DH-1212 MSC, December 1st, 1995 in manufacturing Series 400 composite components, de Havilland will accept Short Brothers Specification