

de Havilland
Material Specification

TITLE:	177°C FILM ADHESIVE (SERIES 400)
SPECIFICATION NUMBER:	DHMS P1.73 (SMS 36)
ISSUE:	C
AMENDMENT:	-
DATE:	August 3, 2006
PAGE:	1 of 2

Information in this document is proprietary to de Havilland. This document must not be reproduced or distributed in the whole or in part to a third party without prior express permission in writing from de Havilland.

Prepared by:

Approved by:

SIGNED ORIGINAL ON FILE

Hai -Yen Tran
Materials Technology

Leonard K. John
Materials Technology

de Havilland	Material Specification	DHMS: P 1.73
		ISSUE: C
		AMD.: -
		DATE: August 3, 2006
		PAGE: i of i
177°C FILM ADHESIVE (SERIES 400)		

REVISION RECORD

Issue	Page	Description and Reason for Change
--------------	-------------	--

A		Shorts updated the SMS 36 to issue 3. Updated to introduce a new clerical format.
---	--	--

B		SMS 36 updated to issue 4
---	--	---------------------------

C		SMS 36 updated to issue 7
---	--	---------------------------

de Havilland	Material Specification	DHMS: P 1.73
		ISSUE: C
		AMD.: -
		DATE: August 3, 2006
		PAGE: 2 of 2

Re Bombardier Short Brothers PLC/de Havilland division, contract number DH-1212 MSC, December 1st, 1995 in manufacturing Series 400 composite components, de Havilland will accept Short Brothers Specification Number SMS 36 issue 7, as equivalent to Material Specification DHMS P1.73 issue C

Class 1: Supported film adhesive
Class 2: Unsupported film adhesive

Grade 03: 0.146 kg/m² (0.03 psf.)
Grade 05: 0.244 kg/m² (0.05 psf.)
Grade 08: 0.390 kg/m² (0.08 psf.)