

de Havilland
Material Specification

TITLE:	177°C CURING STRUCTURAL FOAMING FILM ADHESIVE (SERIES 400)
SPECIFICATION NUMBER:	DHMS P1.74 (SMS 38)
ISSUE:	A
AMENDMENT:	-
DATE:	August 3, 2006
PAGE:	1 of 2

Information in this document is proprietary to de Havilland. This document must not be reproduced or distributed in the whole or in part to a third party without prior express permission in writing from de Havilland.

Prepared by:

Approved by:

SIGNED ORIGINAL ON FILE

Hai -Yen Tran
Materials Technology

Leonard K. John
Materials Technology

de Havilland Material Specification	DHMS: P 1.74 ISSUE: A
177°C CURING STRUCTURAL FOAMING FILM ADHESIVE (SERIES 400)	AMD.: - DATE: August 3, 2006 PAGE: i of i

REVISION RECORD

Issue	Page	Description and Reason for Change
--------------	-------------	------------------------------------------

A		Shorts updated the SMS 38 to issue 5. Updated to introduce a new clerical format.
---	--	--------------------------------------------------------------------------------------

de Havilland	Material Specification	DHMS: P 1.74
		ISSUE: A
		AMD.: -
		DATE: August 3, 2006
		PAGE: 2 of 2
177°C CURING STRUCTURAL FOAMING FILM ADHESIVE (SERIES 400)		

Re Bombardier Short Brothers PLC/de Havilland division, contract number DH-1212 MSC, December 1st, 1995 in manufacturing Series 400 composite components, de Havilland will accept Short Brothers Specification Number SMS 38 issue 5, as equivalent to Material Specification DHMS P1.74 issue A

Grade 25: 0.025"

Grade 50: 0.05"

Grade 100: 0.10"