

THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE "INFORMATION") ARE EITHER THE EXCLUSIVE PROPERTY OF BOMBARDIER INC. OR ARE SUBJECT TO PROPRIETARY RIGHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF BOMBARDIER INC. THE HOLDER OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS.

de HAVILLAND

CAGE CODE 71867

DSC STANDARD

ONLY THE ITEM(S) LISTED ON THIS DRAWING AND IDENTIFIED BY VENDOR'S NAME(S), ADDRESS(ES) AND PART NUMBER(S) HAVE BEEN APPROVED FOR USE IN DE HAVILLAND AIRCRAFT. A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY DE HAVILLAND ENGINEERING STANDARDS

PART No.	THICKNESS	PLIES	APPROVED VENDORS
DSC 380-1	0.055" +/- .005		RUBBERCRAFT CORPORATION FIBERGLASS CLOTH 1080 (FLUOROSILICONE IMPREGNATED FIBERGLASS)
DSC 380-2	0.055" +/- .010	5	CHOICE INDUSTRIAL SOLUTIONS INC. FIBERGLASS CLOTH 1080 (FLUOROSILICONE IMPREGNATED FIBERGLASS)
DSC 380-3	0.064" +/- .008	4	
DSC 380-4	0.080" +/- .010	5	

(B)

VENDOR ADDRESS	
RUBBERCRAFT CORPORATION 15627 SOUTH BROADWAY, GARDENA CA 90248 CAGE CODE 51362	CHOICE INDUSTRIAL SOLUTIONS INC. 18 CANAL STREET, HOLYOKE MA 01040 (B) CAGE CODE 1VE85

MATERIALS: SEE ABOVE.

NOTES:

- PROCUREMENT DEPT. SHALL SPECIFY THE DSC No. AND THE MANUFACTURER'S PRODUCT DESIGNATION ON THE PURCHASE ORDER.
- THE PRODUCT SHALL MEET THE REQUIREMENTS OF FAR 25.1191 (2000°F FOR 15 MINUTES, NO BURN THROUGH).
- THE WIDTH OF THE MATERIAL SHALL BE 20"- 24".
- THE LENGTH OF THE MATERIAL SHALL BE MINIMUM 18".
- THE COLOUR OF THE MATERIAL SHALL BE RED UNLESS OTHERWISE SPECIFIED.
- THE RUBBER SHALL HAVE A DURO SHORE A 50-60 HARDNESS.
- THE MATERIAL SHALL MEET THE CONTINUOUS SERVICE TEMPERATURE RANGE OF -65°F TO 500°F.
- ~~THE DEVIATION PERMITTED BY THIS DSC 380 IS VALID UNTIL OCTOBER 31, 2005. AS OF OCTOBER 31, 2005, THIS DSC 380 IS NO LONGER APPLICABLE~~
- DSC 380-1 IS RESTRICTED AND NOW SUPERCEDED BY DSC 380-2 AS OF THE DATE OF THIS DSC 380 REVISION 'B' RELEASE.
- DSC 380-2 IS ONE-WAY INTERCHANGEABLE WITH DSC 380-1.

SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY

DRAWN	D. CHENG	SHEET, FLUOROSILICONE IMPREGNATED FIBERGLASS	DSC 380
CHECKED	J. MARKO		
STRESSED			SHEET: 1 of 1
APPROVED	J. MARKO		

ADDED DSC380 -2, -3 & -4.
ADDED VENDOR NAME AND ADDRESS FOR CHOICE INDUSTRIAL SOLUTIONS.
CANCELLED NOTE 8 AND ADDED NOTES 9 AND 10.

(B)

REV:

REV:

REV:

REV:

REV: B 18 MAR 2008

REV: A 7 JULY 2005

REV: A 7 JULY 2005

REV: A 7 JULY 2005

REV: A 7 JULY 2005

REV: A 7 JULY 2005

REV: A 7 JULY 2005

REV: A 7 JULY 2005