THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE "INFORMATION") ARE EITHER THE EXCLUSIVE PROPERTY OF BOMBARDIER INC., OR ARE SUBJECT TO PROPRIETARY RIGHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF BOMBARDIER INC. THE OLDER OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS.

# de HAVILLAND

## **CAGE CODE 71867**

# SOURCE CONTROL DRAWING -

#### SOURCE CONTROL DRAWING


ONLY THE ITEM(S) LISTED ON THIS DRAWING AND IDENTIFIED BY VENDOR'S NAME(S), ADDRESS(ES) AND PART HUMBER(S) HAVE BEEN APPROVED FOR USE IN DE HAVILLAND AIRCRAFT. A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY DE HAVILLAND ENGINEERING STANDARDS


REV:

REV:

REV:

REV:





# DSC590 CONDUIT - SLEEVES, SELF-WRAPPING, PROTECTIVE

LIST OF CURRENT SHEETS			
SHEET	1	2	3
REVISION	NC	NC	NC

## SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY

	OHEL	••	'		9		$\parallel > \parallel$
	REVISI	ON	NC	NC	NC		胐
					MAR 2010		
SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY					MMARY		
DRAWN	E. DANESH				DC	C 590	6
CHECKED	B. EDWARDS		<b>CONDUIT -</b>	<b>SLEEVES</b>	DS	C 390	APPROVED
STRESS	E. GIOVANNETTI	SEL	F-WRAPPING	, PROTECTIV	/E	25 4 05 2	[[紀
APPROVED	B. EDWARDS				PAG	GE 1 OF 3	AP

THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE 'INFORMATION') ARE EITHER THE EXCLUSIVE PROPERTY OF BOMBARDIER INC., OR ARE SUBJECT TO PROPRIETARY RIGHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF BOMBARDIER INC. THE HOLDER OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS.

# de HAVILLAND

## **CAGE CODE 71867**

ONLY THE ITEM(S) LISTED ON THIS DRAWING AND IDENTIFIED BY VENDOR'S NAME(S), ADDRESS(ES) AND PART HUMBER(S) HAVE BEEN APPROVED FOR USE IN DE HAVILLAND AIRCRAFT, A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY DE HAVILLAND ENGINEERING STANDARDS

REV

RE

RE

REV:

SOURCE CONTROL DRAWING

## **SOURCE CONTROL DRAWING -**

DSC590 - CONDUIT, SLEEVE, SELF WRAPPING, PROTECTIVE			
PART NO.	NOMINAL I.D. inch (mm)	MAX. WEIGHT lb/ft (g/m)	DEGREE OF OVERWRAP
DSC590-1	.1875 ( 5 )	.012 ( 18 )	90° +40° -25°
DSC590-2	.3125 ( 8 )	.017 ( 26 )	90° +40° -25°
DSC590-3	.50 ( 13 )	.026 ( 39 )	90° +40° -25°
DSC590-4	.75 ( 19 )	.040 ( 60 )	90° ±20°
DSC590-5	1.0 ( 25 )	.049 ( 73 )	90° ±20°
DSC590-6	1.25 ( 32 )	.064 ( 95 )	90° ±20°
DSC590-7	1.50( 40 )	.079 ( 118 )	90° ±20°

WOVEN BLEND OF POLYETHERETHERKETONE (PEEK) MONOFILAMENT YARN AND **MATERIAL:** 

NOMEX MULTIFILAMENT YARN

**CAMOUFLAGE GREEN** COLOR:

### NOTES:

- 1. NOT TO SCALE.
- 2. SLEEVE INCLUDES AN IVORY TRACER THAT RUNS ALONG THE LENGTH OF THE SLEEVE IN THE WRAP DIRECTION. IT ALSO FEATURES A THINNER IVORY TRACER THAT RUNS IN THE WRAP DIRECTION AND INDICATES THE MAXIMUM OPERATING DIAMETER.
- SLEEVE IS TREATED WITH A COATING DESIGNED TO REPEL OIL AND WATER.
- 4. DEGREE OF OVERWRAP IS MEASURED OVER MANDREL SIZE AS SPECIFIED IN NOMINAL DIAMETER.
- 5. OPERATING TEMPERATURE RANGE: -60°C TO 260°C (-76°F TO 500°F).
- 6. MEETS FLAMMABILITY REQUIREMENTS OF BAERD GEN-024.

SI	SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY				
DRAWN	E. DANESH		DSC 590	<b>∏</b> 8	
CHECKED	B. EDWARDS	CONDUIT - SLEEVES	DSC 390		
STRESS	E. GIOVANNETTI	SELF-WRAPPING, PROTECTIVE	DA 05 0 05 0	100	
APPROVED	B. EDWARDS		PAGE 2 OF 3	]     A	

THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE 'INFORMATION') ARE EITHER THE EXCLUSIVE PROPERTY OF BOMBARDIER INC., OR ARE SUBJECT TO PROPRIETARY RIGHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF BOMBARDIER INC. THE HOLDER OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS.

# de HAVILLAND

## **CAGE CODE 71867**

### SOURCE CONTROL DRAWING -

SOURCE CONTROL DRAWING

ONLY THE ITEM(S) LISTED ON THIS DRAWING AND IDENTIFIED BY VENDOR'S NAME(S), ADDRESS(ES) AND PART HUMBERS, I PAUR EBEN APPROVED FOR USE IN DE HAVILLAND AIRCRAFT. A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY DE HAVILLAND ENGINEERING STANDARDS

RE

REV:

REV

REV:

APPROVED SOURCE OF SUPPLY			
DSC FEDERAL-MOGUL CORPORATION SYSTEMS PROTECTION GROUP			
DSC590-1	5677100572		
DSC590-2	5677100872		
DSC590-3	5677101372		
DSC590-4	5677101972		
DSC590-5	5677102572		
DSC590-6	5677103272		
DSC590-7	5677104072		

#### PROCURMENT INFORMATION:

PROCUREMENT DEPARTMENT SHALL SPECIFY THE DSC NUMBER AND THE MANUFACTURERS PART NUMBER ON THE PURCHASE ORDER.

#### APPROVED VENDORS ADDRESSES AND CAGE CODES:

FEDERAL - MOGUL CORPORATION, SYSTEM PROTECTION GROUP

1277 JOE BATTLE BLVD. EL PASO - TX 79936-0966 USA

CAGE CODE: 81851

				REV:
				R 2010
SE	EE ENGINEERING S	STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AN	D CHANGE SUMMARY	MAR
DRAWN	E. DANESH		DSC 590	8
CHECKED	B. EDWARDS	CONDUIT - SLEEVES	<b>DSC 390</b>	VED
STRESS	E. GIOVANNETTI	SELF-WRAPPING, PROTECTIVE	PAGE 3 OF 3	APPROVED
APPROVED	B. EDWARDS		FAGE 3 OF 3	APF