THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE "INFORMATION") ARE EITHER THE EXCLUSIVE PROPERTY OF BOMBARDIER INC., OR ARE SUBJECT TO PROPRIETARY RIGHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF BOMBARDIER INC. THE OLDER OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS.

de HAVILLAND

CAGE CODE 71867

SOURCE CONTROL DRAWING

ONLY THE ITEM(S) LISTED ON THIS DRAWING AND IDENTIFIED BY VENDOR'S NAME(S), ADDRESS(ES) AND PART HUMBERS (SHAVE BEEN APPROVED FOR USE IN DE HAVILLAND AIRCRAFT. A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY DE HAVILLAND ENGINEERING STANDARDS

REV:

REV:


REV:

REV:

REV:

APPROVED: 01 SEP 2011 | REV:

SOURCE CONTROL DRAWING



DSC592 - CHECK VALVE, ALUMINUM ALLOY								
PART NUMBER	TUBING OD	CV FACTOR	1	В	B C MIN	D MAX REF	E REF	WEIGHT LBS APPROX
		COEFFICIENT OF FLOW		± .007				
DSC592-6	0.375	1.5	1.859	0.809	1.000	1.000	2.796	0.12

LIST OF CURRENT SHEETS				
SHEET	1	2	3	
REVISION	NC	NC	NC	

SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY

DRAWN	E. DANESH		DSC 592
CHECKED	B. EDWARDS	VALVE - CHECK	DSC 392
STRESS	A. ROSSI	FLARELESS, 3000 PSI	DAGE 4 OF 2
APPROVED	B. EDWARDS		PAGE 1 OF 3

THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE 'INFORMATION') ARE EITHER THE EXCLUSIVE PROPERTY OF BOMBARDIER INC., OR ARE SUBJECT TO PROPRIETARY RIGHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF BOMBARDIER INC. THE HOLDER OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS.

de HAVILLAND

CAGE CODE 71867

SOURCE CONTROL DRAWING -

SOURCE CONTROL DRAWING

ONLY THE ITEM(S) LISTED ON THIS DRAWING AND IDENTIFIED BY VENDOR'S NAME(S), ADDRESS(ES) AND PART HUMBER(S) HAVE BEEN APPROVED FOR USE IN DE HAVILLAND AIRCRAFT, A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY DE HAVILLAND ENGINEERING STANDARDS

NOTES:

1. THE VALVE SHALL CONFORM TO MIL-V-19069B AND IS SIMILAR TO MS28892 WITH THE FOLLOWING EXCEPTION:

(a) SEAL MATERIAL SHALL BE COMPATIBLE WITH OILS - TYPE II PER MIL-PRF-23699, CLASS STD / HTS.

LASER MARK IDENTIFICATION ON INDICATED SURFACE (2 FLOW ARROWS AT 180° APART APPROX).

3. DSC592 - CHECK VALVE REQUIREMENTS:

FLUIDS: OILS - TYPE II PER MIL-PRF-23699, CLASS STD / HTS

PRESSURES: OPERATING: 3000 PSIG

PROOF: 4500 PSIG BURST: 7500 PSIG CRACKING: 2 PSIG ±1

LEAKAGE: EXTERNAL: NONE

INTERNAL: 1 DPM MAX AT 5 PSIG

NONE AT 1000 TO 3000 PSID

TEMPERATURE: -65° F TO +275° F

4. EXAMPLE OF PART NUMBER BREAKDOWN:

5. ALL DIMENSIONS ARE IN INCHES.

APPROVED VENDORS' PART NUMBERS			
DSC CRISSAIR INC PART NO.		PARKER HANNIFIN CORP. HYDRAULIC VALVE DIV.	
DSC592-6	1C5706	498-6D2-2	

SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY

	B. EDWARDS	VALVE - CHECK	DSC 592
STRESS	A. ROSSI	FLARELESS, 3000 PSI	DA OF 0 OF 0
APPROVED	B. EDWARDS		PAGE 2 OF 3

REV:

REV:

REV:

..

REV:

APPROVED: 01 SEP 2011 REV

THE INFORMATION, TECHNICAL DATA AND DESIGNS DISCLOSED IN THIS DOCUMENT (THE 'INFORMATION') ARE EITHER THE EXCLUSIVE PROPERTY OF BOMBARDIER INC., OR ARE SUBJECT TO PROPRIETARY RICHTS OF OTHERS. THE INFORMATION IS NOT TO BE USED FOR DESIGN OR MANUFACTURE, OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF BOMBARDIER INC. THE HOLDER OF THIS DOCUMENT, BY ITS RETENTION AND USE, AGREES TO HOLD THE INFORMATION IN CONFIDENCE. THESE RESTRICTIONS DO NOT APPLY TO PERSONS HAVING PROPRIETARY RIGHTS IN THE INFORMATION, TO THE EXTENT OF THOSE RIGHTS.

de HAVILLAND

CAGE CODE 71867

SOURCE CONTROL DRAWING -

SOURCE CONTROL DRAWING

ONLY THE ITEM(S) LISTED ON THIS DRAWING AND IDENTIFIED BY VENDOR'S NAME(S), ADDRESS(ES) AND PART HUMBERS (SHAVE BEEN APPROVED FOR USE IN DE HAVILLAND AIRCRAFT. A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY DE HAVILLAND ENGINEERING STANDARDS

REV:

REV

REV:

PROCUREMENT INFORMATION:

PROCUREMENT DEPARTMENT SHALL SPECIFY THE DSC NUMBER AND THE MANUFACTURERS PART NUMBER ON THE PURCHASE ORDER.

APPROVED VENDORS ADDRESSES AND CAGE CODES:

PARKER HANNIFIN CORP. HYDRAULIC VALVE DIV.

520 TERNES AVE. OH 44036 ELYRIA

USA CAGE CODE: 09990

CRISSAIR INC.

38905 10TH ST. EAST PALMDALE CA 93550

USA CAGE CODE: 99240

SEE ENGINEERING STANDARDS APPROVAL RECORD FOR ORIGINAL SIGNATURES AND CHANGE SUMMARY				
DRAWN	E. DANESH		DSC 592	01 SE
CHECKED	B. EDWARDS	VALVE - CHECK	DSC 392	EE!
STRESS	A. ROSSI	FLARELESS, 3000 PSI	PAGE 3 OF 3	₩
APPROVED	B. EDWARDS		TAGE 3 OF 3	APP